

Membrane Deaeration


Centec Beverage Systems



Automated
process skids
and high precision
sensors from a
single source.
Centec.

The Centec Group

Centec is a privately owned group of companies. Our automated process skids are used throughout the entire brewing process. For soft drinks, dairy and food industries we offer a large variety of skid mounted systems. We have decades of experience in water purification and deaeration, carbonation, liquid blending and dosing, flash pasteurization and cleaning-in-place. Centec technology includes a range of high precision process sensors for accurately measuring critical product properties such as extract, alcohol, milk fat, O₂ and CO₂. The largest brewery, soft drink, dairy and food groups in the world are among our key customers.



Accuracy. Reliability. Centec.

Germany

Centec GmbH
Wilhelm-Röntgen-Strasse 10
63477 Maintal
Tel.: +49 6181 18 78 0
Fax: +49 6181 18 78 50
info@centec.de

Czech Republic

Centec automatika s.r.o.
Pekařská 8/601
155 00 Praha 5
Tel.: +420 257 084 111
Fax: +420 235 518 701
prodej@centec.cz

USA

Centec LLC
P. O. Box 820
Germantown, WI 53022-0820
Tel.: +1 262 251 8209
Fax: +1 262 251 8376
info@centec-usa.com

UK

Centec UK
Stalworths, The Street
Great Tey, Colchester, Essex, CO6 1JS
Tel.: +44 1206 21 19 21
Fax: +44 1206 21 19 16
info@centec-uk.com

Serbia

Centec Serbia
Bogdana Žerajića 34/III
11000 Beograd
Tel.: + 381 11 358 11 24
Fax: + 381 11 358 11 24
info@centec.rs

India

Centec RRR Systems & Sensors Pvt Ltd
RRR House, Plot 80, Sector 23
Turbhe Naka, Navi Mumbai - 400 705
Tel.: +91 22 2783 3655 & 2783 1348
Fax: +91 22 2783 4814
mail@centecrrr.com

Brazil

Centec América Latina Ltda
Rua Mexico 148 conj. 1004 Centro
20031 142 Rio de Janeiro
Tel.: +55 21 2223 2066
centeclatina@terra.com.br

DGS

The Principle

The Centec membrane deaeration system DGS is a modular skid for the removal of oxygen from water and low viscosity liquids. Using highly effective membrane contactors, extraordinarily low values of residual O₂ are achieved. The presence of even low oxygen levels can increase microbiological activity and adversely affect taste and shelf life of beverages and food products. Each contactor contains thousands of microporous hydrophobic hollow fibre membranes. Their large internal surface maximizes the contact area between liquid and gas. While the strip gas (CO₂ or N₂) is applied on the inside of the hollow fibres, the water flows in counter current on the outside. The high partial pressure difference of O₂ forces the oxygen out of the liquid to permeate through the membranes and away with the strip gas. This fundamental scientific principle is described by "Henry's Law". The DGS system consumes minimal energy and strip gas. Due to its modular design, DGS can easily be adapted to the required capacity (by parallel installation of membranes) and to the required residual oxygen content (by serial installation). O₂ content monitoring can be achieved with highly accurate Centec OXYTRANS optical sensing technology.

Technical Data

Capacity	10 - 2.000 hl/h
Residual Oxygen	< 1o ppb
Pressure of Operation	0 - 6 bar
Temperature of Operation	2 - 45 °C
Temperature of CIP	max. 85 °C
Material	1.4301/1.4404 AISI 304/316L
Membrane	polypropylene
PLC	SIMATIC S7
Options	in-line O ₂ /CO ₂ measurement chilling/chilling water recovery pre-filtration carbonation disinfection



The Centec production is certified according to ISO 9001.

- **Application Specific and Energy Efficient**
extremely low residual oxygen content
minimum consumption of energy and strip gas
- **Modular Design with Standard PLC**
skid mounted for easy installation and start-up
easy adaption to required capacity and residual O₂
- **Hygienic Execution and Full CIP Capability**
- **Outstanding Price-Performance-Ratio**

Experience. Expertise. Centec.

*Ion Exchange · Reverse Osmosis · Membrane Deaeration · Column Deaeration · Hops Pre-Isomerization
Wort Aeration · Yeast Pitching · Nitrogenation · Carbonation · Carboblending · High Gravity Blending
Multi Component Mixing · Additive Dosing · Flash Pasteurization · Cleaning-in-Place · Dealcoholization*

